

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS16 3139

## Anti-ACT 1,3,4,12 | Actin 1, 3, 4, 12 (clone mAB45a (5-15 H7C5))

## **Product information**

Immunogen Full-length recombinant Arabidopsis thaliana Actin-1 (ACT1) expressed in E.coli, Uniprot: POCJ46

Host Mouse

Clonality Monoclonal

Subclass/isotype | IgG1

IgG1 immunoglobulin purified on Protein G in 0.1 M Sodium Phosphate, pH 7.4, 0.15 M NaCl, 0.05% (w/v) sodium Purity azide.

Format Liquid

Quantity 100 μg

Store at -20°C, Make aliquots to avoid repeated freeze-thaw cycles. Please remember to spin the tubes briefly prior to Storage

opening them to avoid any losses that might occur from material adhering to the cap or sides of the tube.

**Additional information** This antibody is a total IgG fraction purified on a protein G column, It recognizes the epitope Asn79 of actins ACT1, 3,

4, 12

## **Application information**

Recommended dilution 1-2 μg/ml (WB)

Expected | apparent

45 | 45 kDa

Predicted reactivity

Clonorchis sinensis, Cucurbita maxima, Cucumis sativus, Genlisea aurea, Glycine soja, Gossypium arboreum, Gossypium hirsutum, Litsea cubeba, Medicago truncatula, Narcissus tazetta var. chinensis, Phaseolus vulgaris, Platycodon grandiflorus, Paulownia tomentosa, Populus trichocarpa, Phaseolus vulgaris, Prunus avium, Ricinus communis, Solanum tuberosum, Striga asiatica, Theobroma cacao

Species of your interest not listed? Contact us

Not reactive in No confirmed exceptions from predicted reactivity are currently known

Additional information

Exact working dilution needs to be determined by end user

Selected references

Kandasamy, M.K. et al. (2012). Plant vegetative and animal cytoplasmic actins share functional competence for spatial development with protists. Plant Cell. 24, 2012 May;24(5):2041-57. doi: 10.1105/tpc.111.095281

Kandasamy, M.K. et al. (2001). One plant actin isovariant, ACT7, is induced by auxin and required for normal callus

formation. Plant Cell. Jul;13(7):1541-54

Kandasamy, M.K. et al. (1999). The late pollen-specific actins in angiosperms. Plant Journal. Jun;18(6):681-91.