

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS10 839

Chicken anti-Rabbit IgG (H&L), HRP conjugated, min, cross-reactivity to human, mouse IgG Product information

Immunogen Purified Rabbit IgG

Host Chicken

Clonality Polyclonal

Purity Immunogen affinity purified chicken IgY.

Format Lyophilized

Quantity 0,5 mg

Reconstitution

For reconstitution add 0,55 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily

Storage

Store lyophilized material at 2-8 °C. For long time storage after reconstitution, dilute the antibody solution with glycerol to a final concentration of 50% glycerol and store as liquid at -20 °C, to prevent loss of enzymatic activity. For example, if you have reconstituted 1 mg of antibody in 1,1 ml of sterile water add 1,1 ml of glycerol. Such solution will not freeze in -20 °C. If you are using a 1:5000 dilution prior to diluting with glycerol, then you would need to use a 1:2500 dilution after adding glycerol. Prepare working dilution prior to use and then discard, Be sure to mix well but without foaming.

Additional information

HRP-conjugate is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 % (w/v) BSA, Protease/lgG free

0.1% (v/v) of Kathon CG is used as preservative. Use of sodium azide will inhibit enzyme activity of horseradish peroxidase

Application information

Recommended dilution The optimal working dilution should be determined by the investigator

Confirmed reactivity Rabbit IgG (H&L)

Predicted reactivity Rabbit IgG (H&L)

Not reactive in No confirmed exceptions from predicted reactivity are currently known

Additional information

This antibody reacts with the heavy chains on rabbit IgG and with the light chains on all rabbit immunoglobulins based on immunoelectrophoresis.

No reactivity is observed to non-immunoglobulin rabbit serum proteins and human and mouse serum and IgG on immunoelectrophoresis.

This antibody was absorbed against solid phase human and mouse serum and IgG.

Selected references

<u>Vergara-Cruces</u> (2024). Structure of the plant plastid-encoded RNA polymerase. Cell . 2024 Feb 29;187(5):1145-1159.e21. doi: 10.1016/j.cell.2024.01.036.