

**Product no** AS16 3511

**Donkey anti-Rabbit IgG (H&L), DyLight® 405 conjugated, min, cross-reactivity to bovine, chicken, goat, guinea pig, hamster, horse, human, mouse, rat or sheep IgG**

**Product information**

|                       |  |
|-----------------------|--|
| <b>Host</b>           | Donkey   |
| <b>Clonality</b>      | Polyclonal   |
| <b>Purity</b>         | Immunogen affinity purified donkey IgG.  |
| <b>Format</b>         | Lyophilized  |
| <b>Quantity</b>       | 1 mg   |
| <b>Reconstitution</b> | For reconstitution add 1,1 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily |
| <b>Storage</b>        | Store freeze-dried powder at 2-8 °C.   |

|                               |   |
|-------------------------------|---|
| <b>Additional information</b> | <p>Antibody purity is &gt; 95% based on SDS-PAGE.</p> <p>Affinity purified using solid phase Rabbit IgG .</p> <p>Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free.</p> <p>0.05% (w/v) Sodium Azide is added as a preservative.</p> <p>Based on IEP, this antibody reacts with: • heavy ( ) chains on rabbit IgG • light chains on all rabbit immunoglobulins .</p> <p>Based on IEP, no reactivity is observed to: • non-immunoglobulin rabbit serum proteins • IgG from bovine, chicken, goat, guinea pig, hamster, horse, human, mouse, rat or sheep .</p> |
|-------------------------------|---|

**Application information**

|                             |                                  |
|-----------------------------|----------------------------------|
| <b>Recommended dilution</b> | 1 : 20-1 : 2000 (Flow cyt), (IL) |
| <b>Confirmed reactivity</b> | Rabbit IgG (H&L)                 |