

Product no **AS10 764**

Goat anti-Human IgG (H&L), HRP conjugated

Product information

Immunogen | Purified human IgG, whole molecule**Host** | Goat**Clonality** | Polyclonal**Purity** | Immunogen affinity purified goat IgG.**Format** | Lyophilized**Quantity** | 1 mg**Reconstitution** | For reconstitution add 1.1 ml of sterile water. Let it stand 30 minutes at room temperature to dissolve. Centrifuge to remove any particulates. Prepare fresh working dilutions daily**Storage** | Store lyophilized material at 2-8°C. For long time storage after reconstitution, dilute the antibody solution with glycerol to a final concentration of 50% glycerol and store as liquid at -20°C, to prevent loss of enzymatic activity. For example, if you have reconstituted 1 mg of antibody in 1.1 ml of sterile water add 1.1 ml of glycerol. Such solution will not freeze in -20°C. If you are using a 1:5000 dilution prior to diluting with glycerol, then you would need to use a 1:2500 dilution after adding glycerol. Prepare working dilution prior to use and then discard. Be sure to mix well but without foaming.**Additional information** | HRP-conjugate is supplied in 10 mM Sodium Phosphate, 0,15 M Sodium Chloride, pH 7,2, 10 % (w/v) BSA, Protease/IgG free with 0,1 % (v/v) of ProClin 150 is used as preservative

Application information

Recommended dilution | The optimal working dilution should be determined by the investigator**Confirmed reactivity** | Heavy chains on human IgG and light chains on all human immunoglobulins**Not reactive in** | Non immunoglobulin human serum proteins