

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS12 2209 Goat anti-Rabbit IgG (H&L), DyLight® 633 conjugated, min, cross-reactivity to bovine, human, mouse IgG or serum proteins

Product information

| Immunogen | Purified rabbit IgG, whole molecule |
|-------------------------|--|
| | Goat |
| Clonality | Polyclonal |
| Purity | Immunogen affinity purified goat IgG. |
| Format | Lyophilized |
| Quantity | 1 mg |
| Reconstitution | For reconstitution add 1,1 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily |
| Storage | Store lyophilized material at 2-8°C. Product is stable for 4 weeks at 2-8°C after rehydration. For long time storage after reconstitution, dilute the antibody solution with glycerol to a final concentration of 50% glycerol and store as liquid at -20°C, to prevent loss of enzymatic activity. For example, if you have reconstituted 1 mg of antibody in 1,1 ml of sterile water add 1,1 ml of glycerol. Such solution will not freeze in -20°C, If you are using a 1:5000 dilution prior to diluting with glycerol, then you would need to use a 1:2500 dilution after adding glycerol. Prepare working dilution prior to use and then discard. Be sure to mix well but without foaming. |
| Additional information | Conjugate is present in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free. 0.05 % (w/v) sodium azide is added as preservative. Based on immunoelectrophoresis, this antibody reacts with: () chains on rabbit IgG light chains on all rabbit immunoglobulins. No reactivity is observed to:non-immunoglobulin rabbit serum proteinsIgG from human or mouseserum proteins from human or mouseserum proteinserum protein |
| bovine, human or mouse. | |

Application information

Recommended dilution 1 : 20-1 : 2000 for most applications