

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS07 240

## Psb29 | Thylakoid membrane formation 1, THF1

## **Product information**

Immunogen KLH-conjugated peptide derived from known sequences of Psb29 including Arabidopsis thaliana Q9SKT0, At2q20890

Host Rabbit

Clonality Polyclonal

**Purity** Immunogen affinity purified serum in PBS pH 7.4.

Format Lyophilized

Quantity 200 μg

**Reconstitution** For reconstitution add 100 μl of sterile water

To reconstitution and recombine water

Store lyophilized/reconstituted at -20°C; once reconstituted make aliquots to avoid repeated freeze-thaw cycles. Please remember to spin the tubes briefly prior to opening them to avoid any losses that might occur from material adhering to the cap or sides of the tube.

## **Application information**

**Recommended dilution** 5 μg in 300 μl (IP), 1 : 10 000 (WB)

Expected | apparent

33,7 | 22 kDa

Confirmed reactivity Arabidopsis thaliana, Hordeum vulgare, Nicotiana benthamiana

Predicted reactivity Nicotiana tabacum, Oryza sativa, Ostreococcus sp., Picea sitcHensis, Populus balsamifera, Physcomitrium patens,

Solanum lycopersicum, Solanum tuberosum Species of your interest not listed? Contact us

Not reactive in Chlamydomonas reinhardtii

Selected references Hamel et al. (2016). The chloroplastic protein THF1 interacts with the coiled-coil domain of the disease resistance

protein N' and regulates light-dependent cell death. Plant Physiol. 2016 Mar 7. pii: pp.00234.2016

Huang et al. (2013). Arabidopsis Thylakoid Formation 1 Is a Critical Regulator for Dynamics of PSII-LHCII Complexes in

Leaf Senescence and Excess Light. Mol Plant. May 13.