

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS08 278

Anti-R-PC | R-phycocyanin

Product information

Immunogen native R-PC purified from phycobilisomes of *Porphyridium cruentum*

Host Rabbit

Clonality Polyclonal

Purity Serum

Format Lyophilized

Quantity 200 μl

Reconstitution For reconstitution add 200 μl of sterile water

Storage Storage Store lyophilized/reconstituted at -20 °C; once reconstituted make aliquots to avoid repeated freeze-thaw cycles. Please remember to spin the tubes briefly prior to opening them to avoid any losses that might occur from material adhering to

the cap or sides of the tube.

Application information

Recommended dilution 1:1700 - 3000 (WB)

Expected | apparent

19-21 kDa

Confirmed reactivity Porphyridium cruentum

Predicted reactivity Algae (red), Cyanobacteria

Species of your interest not listed? Contact us

Not reactive in No confirmed exceptions from predicted reactivity are currently known

Additional information Antibody detects alpha and beta subunits of R-PC

Selected references Gunnelius et al. (2014). The omega subunit of the RNA polymerase core directs transcription efficiency in

cyanobacteria. Nucleic Acids Res. 2014 Jan 29.

Gantt & Lipschultz (1974). Phycobilisomes of Porphyridium cruentum: Pigment Analysis. Biochem. 13:2960. Gantt E

and C Lipschultz (1977). Probing phycobilisome structure by immuno-electron microscopy. J Phycol. 13:18