

Agrisera

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no **AS03 031-1ml**

mPGES-1 glutathione dependent prostaglandin E synthase (1ml)

Product information

Background	mPGES-1 is an inducible glutathione dependent prostaglandin E synthase that converts cyclooxygenase derived PGH2 into PGE2.
Immunogen	Recombinant human purified 6-His mPGES-1 O14684
Host	Rabbit
Clonality	Polyclonal
Purity	Serum
Format	Lyophilized
Quantity	1 ml
Reconstitution	For reconstitution add 1 ml of sterile water.
Storage	Store lyophilized/reconstituted at -20°C; once reconstituted make aliquots to avoid repeated freeze-thaw cycles. Please, remember to spin tubes briefly prior to opening them to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tubes.
Tested applications	Immunohistochemistry (IHC), Western blot (WB)
Related products	AS03 031S mPGES-1 glutathione dependent prostaglandin E synthase protein positive control Secondary antibodies
Additional information	In our hands this antibody works with fresh frozen sections not in paraffin embedded material in IHC. mPGES-1 antibody was characterized using spleen tissue from LPS-induced mPGES-1 knock-out and wild type mice. In spleen tissue from wt mice we observed strong positive staining in macrophage-like cells, while there was no staining for mPGES-1 in ko mice.

Application information

Recommended dilution	1 : 10 000, human and rat samples (WB) 1 : 6 000 on mice samples and in sheep seminal vesicles (IHC)
Expected apparent MW	17 kDa
Confirmed reactivity	Human, Mouse, Rat, sheep
Predicted reactivity	Dog, Hamster, Horse
Not reactive in	No confirmed exceptions from predicted reactivity are currently known.
Additional information	Antibody is only recognizing mPGES1 not mPGES2 or cPGES. For high resolution images, please visit the specific product page at www.agrisera.com
Selected references	Olajide et al. (2014) . Picralima nitida seeds suppress PGE2 production by interfering with multiple signalling pathways in IL-1 β -stimulated SK-N-SH neuronal cells. J Ethnopharmacol. 2014 Jan 31. pii: S0378-8741(14)00074-9. doi: 10.1016/j.jep.2014.01.027. Tuure et al. (2014) . Aurothiomalate inhibits the expression of mPGES-1 in primary human chondrocytes. Scand J Rheumatol. 2014 Oct 14:1-6.

For high resolution images, please visit the specific product page at www.agrisera.com