

This product is **for research use only** (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS06 174

Anti-HSP90C | alfa-HSP90C, heat shock protein (algal)

Product information

Immunogen C-terminal 238 amino acids of HSP90C, Q66T67, expressed with N- and C-terminal hexahistidine tags in E. coli, purified with Ni-NTA

Host Rabbit

Clonality Polyclonal

Purity Serum

Format Lyophilized

Quantity 50 ul

Reconstitution For reconstitution add 50 μl of sterile water

Storage Store lyophilized/reconstituted at -20°C; once reconstituted make aliquots to avoid repeated freeze-thaw cycles. Please remember to spin the tubes briefly prior to opening them to avoid any losses that might occur from material adhering to

the cap or sides of the tube.

Application information

Recommended dilution 1:3000 (WB)

Expected | apparent 89 kDa

MW

Confirmed reactivity Chlamydomonas reinhardtii

Predicted reactivity Ostreococcus sp.

Species of your interest not listed? Contact us

Not reactive in Arabidopsis thaliana

Additional information HSP90C protein is easily degraded and degradation products are detected by this antibody

Selected references Cvetkovska et al. (2022) A constitutive stress response is a result of low temperature growth in the Antarctic green alga

Chlamydomonas sp. UWO241. Plant, Cell & Environment, 45, 156-177. https://doi.org/10.1111/pce.14203 Perlaza et al. (2019). The Mars1 kinase confers photoprotection through signaling in the chloroplast unfolded protein

response. Elife. 2019 Oct 15;8. pii: e49577. doi: 10.7554/eLife.49577. Willmund & Schroda (2005). HSP90C is a bona-fide Hsp90 that interacts with plastidic HSP70B in Chlamydomonas

reinhardtii. Plant Phys. 138, 2310-2322.