

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS10 932B

Anti-Amyloid beta oligomer-specific monoclonal antibody (OMAB), Biotinylated **Product information**

Immunogen Partly aggregated, recombinant peptide corresponding to the human Abeta (1-40). Amino acid sequence:

D-A-E-F-R-H-D-S-G-Y-E-V-H-H-Q-K-L-V-F-F-A-E-D-V-G-S-N-K-G-A-I-I-G-L-M-V-G-G-V-V.

Host Mouse

Clonality Monoclonal

Subclass/isotype IgM

Purity Affinity purified in PBS pH 7.4.

Format Lyophilized

Quantity 50 μg

Reconstitution For reconstitution add 100 μl of sterile water

Storage Store lyophilized/reconstituted at 4 °C. Please remember to spin the tubes briefly prior to opening them to avoid any

losses that might occur from material adhering to the cap or sides of the tube.

Additional information OMAB antibody has been purified by by ion-exchange chromatography and is supplied in PBS without any additives as

carrier proteins or sodium azide.

Binding of OMAB antibody and Abeta oligomers at RT takes about 15 min.

Fibrils are inaccessible for OMAB antibodies therefore if a discrimination between fibrils and oligomers is to be achieved, dot blot can be used. Start with antigen concentration of 500 ng/dot followed by 2X dilution steps. Blocking:

non-fat milk and washes with 0.3 % Tween 20 in TBS pH 7.4.

Application information

Recommended dilution Coating antibody at 2 μg/ml (ELISA), 1 : 500 (IHC)

Expected | apparent

Confirmed reactivity | Human Abeta oligomers only

Predicted reactivity Rat

4.5 kDa

Not reactive in No confirmed exceptions from predicted reactivity are currently known

Additional information

OMAB antibody is a versatile tool within research of Alzheimer's disease, A sandwhich ELISA illustrates its potential regarding its high selectivity towards A? oligomers

Selected references

Richman et al. (2013). In Vitro and Mechanistic Studies of an Anti-Amyloidogenic Self-Assembled Cyclic D,L-#-Peptide Architecture. J. Americal Chemical Societ, Jan 19.

Lindhagen-Persson et al. (2010). Amyloid- Oligomer Specificity Mediated by the IgM Isotype - Implications for a Specific Protective Mechanism Exerted by Endogenous Auto-Antibodies. PLoS ONE.