

Product no **AS10 711****Anti-DEG15 | Endopeptidase (peroxisomal marker)****Product information**

Immunogen	synthetic peptide derived from <i>Arabidopsis thaliana</i> DEG15, <u>Q8VZD4</u> (<u>At1g28320</u>)
Host	Rabbit
Clonality	Polyclonal
Purity	Immunogen affinity purified serum in PBS pH 7.4.
Format	Lyophilized
Quantity	100 µg
Reconstitution	For reconstitution add 100 µl of sterile water
Storage	Store lyophilized/reconstituted at -20°C; once reconstituted make aliquots to avoid repeated freeze-thaw cycles. Please remember to spin the tubes briefly prior to opening them to avoid any losses that might occur from material adhering to the cap or sides of the tube.

Application information

Recommended dilution	1 : 500 (WB)
Expected apparent MW	76 kDa
Confirmed reactivity	<i>Arabidopsis thaliana</i> , <i>Citrullus vulgaris</i> , <i>Physcomitrium patens</i>
Predicted reactivity	<i>Micromonas</i> sp., <i>Oryza sativa</i> , <i>Populus balsamifera</i> , <i>Solanum lycopersicum</i> , <i>Sorghum vulgare</i> , <i>Ricinus communis</i> , <i>Vitis vinifera</i> , <i>Zea mays</i> Species of your interest not listed? Contact us
Not reactive in	No confirmed exceptions from predicted reactivity are currently known
Selected references	Schuhmann et al. (2008). The DEG15 serine protease cleaves peroxisomal targeting signal 2-containing proteins in <i>Arabidopsis</i> . Plant Physiol. 4: 1847-1856. Helm et al. (2007). Dual specificities of the glyoxysomal/peroxisomal processing protease Deg15 in higher plants. PNAS 27: 11501-11506.