

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS16 3246

Goat anti-Bovine IgG (H&L), ALP conjugated

Product information

Immunogen Purified Bovine IgG, whole molecule

Host Goat

Clonality Polyclonal

Purity Immunogen affinity purified goat IgG.

Format Liquid

Quantity 1.0 mg

Storage

Store non-diluted antibody at 2-8 °C. For storage at -20 °C, dilute with an equal volume of glycerol to prevent loss of enzymatic activity. Prepare working dilutions prior to use and then discard.

Antibody purity is >95% based on SDS-PAGE. **Additional information**

Antibody concentration is 1.5 mg/ml (E 1% at 280 nm = 13.0).

Affinity purified using solid phase Bovine IgG (H&L).

Antibody is supplied in 30 mM Triethanolamine, pH 7.2, 5 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 1% (w/v)

BSA, Protease/IgG free. 0.05% (w/v) Sodium Azide is added as preservative.

Based on IEP, this antibody reacts with: heavy () chains on bovine IgG · light chains on all bovine immunoglobulins.

Based on IEP, no reactivity is observed to: · non-immunoglobulin bovine serum immunoglobulins.

Application information

Recommended dilution 1:50 000-1:5 000 (ELISA), 1:500-1:2000 (IHC), 1:50 000-1:5 000 (WB)

Confirmed reactivity Bovine IgG (H&L)