

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

## Product no AS16 3354

Goat anti-Human IgG Fc, F(ab)'2 Fragment, FITC conjugated, min, cross-reactivity to bovine, horse, mouse or rabbit serum proteins, mouse IgG1

## **Product information**

Immunogen Purified Human IgG, Fc fragment

**Host** Goat

Clonality Polyclonal

**Purity** Immunogen affinity purified goat IgG.

Format Liquid

Quantity 0.5 mg

Storage Store at 2-8°C.

**Additional information** 

Antibody purity is > 90% based on SDS-PAGE Small amounts of intact IgG may be present.

Affinity purified using solid phase Human IgG .

Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1% (w/v) BSA, Protease/lgG free.

0.05% (w/v) Sodium Azide is added as a preservative.

Based on IEP, this antibody reacts with: • heavy ( ) chains on human IgG.

Based on IEP, no reactivity is observed to:  $\bullet$  non-immunoglobulin human serum immunoglobulins  $\bullet$  light chains on all human immunoglobulins  $\bullet$  human IgG F(ab)'2 fragment  $\bullet$  mouse IgG1  $\bullet$  serum proteins from bovine, horse, mouse, or

## **Application information**

Recommended dilution 1:20-1:2000 (Flow cyt), (IL)

Confirmed reactivity Goat anti-Human IgG Fc, F(ab)'2 Fragment