

This product is for research use only (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS21 4545P

RuvC (protein, positive control)

Product information

Purity Contans 50% glycerol, 10 mM Tris-HCl (pH 7.5), 2 mM EDTA, 100 mM NaCl, 5 mM mercaptoethanol. Over 95% pure by SDS-PAGE.

Format Liquid

Quantity 20 μg

Storage S

Store at -20°C or -80°C for a longer period of time; once make aliquots to avoid repeated freeze-thaw cycles. Please remember to spin the tubes briefly prior to opening them to avoid any losses that might occur from material adhering to the cap or sides of the tube.

Additional information

This product can be used in:

- In vitro functional studies. RuvC cleaves recombination intermediate at Holiday Junction
- As a positive control in Western blot and standard in ELISA.

Application information

Expected | apparent 18.7

rent MW 18.7 | 19 kDa


Additional information

RuvC protein is full length, highly purified (over 95%, SDS-PAGE), recombinant without a tag at a concentration of 1 mg/ml (determined by BCA method). UniProt: <u>P0A814</u>

Selected references

Shinagawa & Iwasaki (1996). Processing the holliday junction in homologous recombination. Trends Biochem Sci. 1996 Mar;21(3):107-11. PMID: 8882584.

<u>Iwasaki</u> et al. (1991) Escherichia coli RuvC protein is an endonuclease that resolves the Holliday structure. EMBO J. 1991 Dec;10(13):4381-9. PMID: 1661673; PMCID: PMC453191.



2 and 5 µg of highly purified RuvC protein from *Escherichia coli* was separated on SDS-PAGE and stained by Coomasie. RuvC protein migrates at 19 kDa.