

**Product no** AS16 3534**Goat anti-Rabbit IgG Fc, ALP conjugated, min, cross-reactivity to bovine horse or human serum proteins****Product information**

<b>Immunogen</b>	Purified Rabbit IgG Fc
<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Immunogen affinity purified goat IgG.
<b>Format</b>	Liquid
<b>Quantity</b>	1,0 mg
<b>Storage</b>	Store liquid at Store at 2-8°C. For storage at -20 °C, dilute with an equal volume of glycerol to prevent loss of enzymatic activity. Prepare working dilutions prior to use and then discard.

<b>Additional information</b>	<p>Antibody purity is &gt; 95% based on SDS-PAGE.</p> <p>Affinity purified using solid phase Rabbit IgG .</p> <p>Antibody is supplied in 30 mM Triethanolamine, pH 7.2, 5 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 1 % (w/v) BSA, Protease/IgG free. 0.05% (w/v) Sodium Azide is added as a preservative.</p> <p>Based on IEP, this antibody reacts with: • heavy ( ) chains on rabbit IgG .</p> <p>Based on IEP, no reactivity is observed to: • non-immunoglobulin rabbit serum proteins • light chains on all rabbit immunoglobulins • Rabbit IgG F(ab)'2 fragment • serum proteins from bovine, horse or human .</p>
-------------------------------	--

**Application information**

<b>Recommended dilution</b>	1 : 20-1 : 2000 (Flow cyt), (IL)
<b>Confirmed reactivity</b>	Rabbit IgG Fc