

Product no **AS19 4293****Anti-PLGG1 | Plastidal glycolate/glycerate translocator 1, (chloroplastic)****Product information**

<b>Immunogen</b>	KLH-conjugated peptide derived from <i>Arabidopsis thaliana</i> UniProt: <a href="#">Q9FVQ4</a>
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Purity</b>	Serum
<b>Format</b>	Lyophilized
<b>Quantity</b>	50 µl
<b>Reconstitution</b>	For reconstitution add 50 µl, of sterile water
<b>Storage</b>	Store lyophilized/reconstituted at -20°C; once reconstituted make aliquots to avoid repeated freeze-thaw cycles. Please remember to spin the tubes briefly prior to opening them to avoid any losses that might occur from material adhering to the cap or sides of the tube.

**Application information**

<b>Recommended dilution</b>	1 : 1000 (WB)
<b>Expected   apparent MW</b>	54 kDa
<b>Confirmed reactivity</b>	<i>Nicotiana tabacum</i>
<b>Predicted reactivity</b>	<i>Arabidopsis thaliana</i> , <i>Noccaea caerulea</i> Species of your interest not listed? <a href="#">Contact us</a>
<b>Not reactive in</b>	<i>Solanum lycopersicum</i> , <i>Vigna radiata</i>
<b>Additional information</b>	<p><b>Experimental conditions:</b> 5 µg of total protein extracted freshly from 3-4 weeks old plant leaves with a blender at 4 °C in 300 mM Sorbitol, 50 mM HEPES, 5mM MgCl<sub>2</sub>. Separated on 10 % SDS-PAGE and blotted 1h to PVDF, semi-dry. Blot was blocked with 6 % milk for 1h 4°C with agitation. Blot was incubated in the primary antibody at a dilution of 1: 1 000 ON at 4°C with agitation.</p> <p>According to <a href="#">South</a> et. al (2019).</p>